

YFS

Ν

Ν

Ν

6

7

7

4

N

6

8

N/A

2/8/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 77F00060001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 01132 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: OLD YORK HWY. E. COUNTY SEQUENCE: 1 CROSSING: SEQUATCHIE RIV OVERFLOW LOG MILE: 1.33 LOCATION: IN CITY OF DUNLAP SUFFICIENCY RATING: 80.7 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 35.36100 DEGREES (17a.b) LONGITUDE: 85.37367 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.2 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N/A (39) NAVIGATION VERTICAL CLEARANCE:

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 77F00060003



COUNTY: SEQUATCHIE

YES

7

7

6

6

Ν

6

4

N

8

8

8

N/A

24

Y60

N/A

Ν

09/2016

1000

HS-20-44

BRIDGE OWNER: CITY OF DUNLAP ROUTE: 01132 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: OLD YORK HWY. E. COUNTY SEQUENCE: 1 CROSSING: SEQUATCHIE RIVER LOG MILE: 1.44 SUFFICIENCY RATING: 80.7 LOCATION: IN CITY OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.35967 DEGREES 85.37220 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 74.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 182.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: **77011530009**

BRIDGE OWNER: SEQUATCHIE COUNTY

FIPS CODE: 00000

ROAD NAME: EAST VALLEY RD.

CROSSING: BRANCH

LOCATION: 2.2 M NORTH OF SR 8

COUNTY: SEQUATCHIE

ROUTE: 01153

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 2.21

SUFFICIENCY RATING: 84.7

IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 35.34558 DEGREES 85.37033 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 7 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 31.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/27/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

7

5

7

Ν

Ν

7

8

8

N/A

2/15/2017

24

N/A

N/A

Ν

Ν

0N00

H-15-44

BRIDGE ID NUMBER: 77011530001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 01153 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EAST VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HENSON CREEK LOG MILE: 4.48 SUFFICIENCY RATING: 97.7 LOCATION: 2 MI EAST OF 127 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39970 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.32478 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR):

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

Ν

Ν

Ν

6

7

5

7

Ν

Ν

6

7

8

N/A

2/27/2017

24

N/A

N/A

Ν

Ν

0000

H-15-44

BRIDGE ID NUMBER: 77011530005 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 01153 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EAST VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: WELCH BRANCH LOG MILE: 6.86 LOCATION: 2 MI EAST OF US 127 SUFFICIENCY RATING: 96.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39982 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.32480 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

6

7

7

4

N

6

7

8

N/A

2/1/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 77\$43510003 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 01153 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KELLY CROSS RD. COUNTY SEQUENCE: 1 CROSSING: MCWILLIAMS CREEK LOG MILE: 7.46 LOCATION: 2 MI EAST OF US 127 SUFFICIENCY RATING: 82.3 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.40592 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.32942 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** UNKNOWN C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 48.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 77011530007 BRIDGE OWNER: SEQUATCHIE COUNTY

FIPS CODE: 00000

ROAD NAME: KELLY CROSS RD. CROSSING: SEQUATCHIE RIVER

LOCATION: .5 MI EAST OF US 127

COUNTY: SEQUATCHIE

ROUTE: 01153 SPECIAL CASE: 0

COUNTY SEQUENCE: 1 LOG MILE: 8.67

SUFFICIENCY RATING: 91.9

IDENTIFICATION ————	
(16a,b) LATITUDE: N 35.40437 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.38845 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
PRINCE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 3	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6 (59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(,
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44 +MOD
(27) YEAR THE BRIDGE WAS BUILT: 1970	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 79.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 237.9 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 7
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 000N
(51) BRIDGE CURB TO CURB WIDTH: 28.5 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/27/2017
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 2/27/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	·
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 77021640003

BRIDGE OWNER: SEQUATCHIE COUNTY

FIPS CODE: 00000

ROAD NAME: STONE CAVE RD.

CROSSING: BRANCH

LOCATION: .3 MI EAST OF US 127

COUNTY: SEQUATCHIE

YES

8

ROUTE: 02164

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.22

SUFFICIENCY RATING: 96.9

(16a,b) LATITUDE:N35.31153DEGREES(17a,b) LONGITUDE:W85.43120DEGREES(98a) BORDER BRIDGE STATE CODE:N/A(98b) PERCENT SHARE:N/A

(99) BORDER BRIDGE NUMBER: NOT APPLICABLE

BRIDGE TYPE AND MATERIAL =

(43a) MAIN SPAN MATERIAL: **CONCRETE** (44a) APPR SPAN MATERIAL: **NOT APPLICABLE**

(45) NUMBER OF MAIN SPANS:

(46) NUMBER OF APPROACH SPANS:

(107) TYPE OF DECK:

CONCRETE CAST-IN-PLACE

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE:

MONOLITHIC CONCRETE

B) TYPE MEMBRANE: NONE
C) TYPE PROTECTION: EPOXY COATED REINFORCING

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1998
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A
(42a) SERVICE ON BRIDGE: HIGHWAY
(42b) UNDER BRIDGE: WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 24.0 FT (49) TOTAL BRIDGE LENGTH: 24.0 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: 44.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 45 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** 26.2 FT

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE

(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

NAVIGATION DATA

(38)NAV CONTROL:NO NAVIGATION CONTROL(39)NAVIGATION VERTICAL CLEARANCE:N/A(116)LIFT BRIDGE VERT CLEARANCE:N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

(112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE

(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE

37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR TI
NATIONAL REGISTER

CONDITION RATINGS =

(58) DECK: N
(59) SUPERSTRUCTURE: N
(60) SUBSTRUCTURE: N
(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
(62) CULVERT CONDITION (IF APPLICABLE): 7

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:
WEIGHT POSTING (2 AXLE VEHICLES):
WEIGHT POSTING (3 OR MORE AXLES):
ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:
5

(41) WT POSTING STATUS: OPEN

APPRAISAL

(67) STRUCTURAL EVALUATION: 7
(68) DECK GEOMETRY: 5
(69) UNDERCLEARANCE RATING: N
(71) WATERWAY ADEQUACY: 7
(72) APPROACH ROADWAY ALIGNMENT: 8
(36) TRAFFIC SAFETY FEATURES: 0N00

(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: NOT APPLICABLE

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

- INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

N/A

(92c) SPECIAL INSP FREQUENCY (MONTHS):

N

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



BRIDGE ID NUMBER: 77021640001

BRIDGE OWNER: SEQUATCHIE COUNTY

FIPS CODE: 00000

ROAD NAME: STONE CAVE RD. CROSSING: SEQUATCHIE RIVER

LOCATION: 2 MI SOUTH OF SR28

COUNTY: SEQUATCHIE ROUTE: 02164

YES

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 1.53 SUFFICIENCY RATING: 97.9

CLASSIFICATION =

 IDENTIFICATION (16a,b) LATITUDE: Ν 35.30020 DEGREES (17a,b) LONGITUDE: w 85.41667 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE**

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE

CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE

C) TYPE PROTECTION:

(45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0

(107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE**

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

MONOLITHIC CONCRETE A) TYPE OF SURFACE: B) TYPE MEMBRANE: NONE

AGE AND SERVICE =

(27) YEAR THE BRIDGE WAS BUILT: 1983 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA

(48) MAXIMUM SPAN LENGTH: 82.0 FT (49) TOTAL BRIDGE LENGTH: 246.1 FT 0.0 FT (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NO MEDIAN (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 24 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(54b) MIN VERTICAL UNDERCLEARANCE:

NOT APPLICABLE (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD**

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE**

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

(112) MEETS NBIS BRIDGE LENGTH:

(104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR**

(101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE**

(102) TRAFFIC DIR: 2-WAY TRAFFIC

(103) TEMPORARY BRIDGE: **NOT APPLICABLE**

(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS:

NOT BEEN DETERMINED

CONDITION RATINGS =

(58) DECK: 6 (59) SUPERSTRUCTURE: 6 (60) SUBSTRUCTURE: 7 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 (62) CULVERT CONDITION (IF APPLICABLE): N

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: **OPEN**

NONE

N/A

APPRAISAL

(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 6 (36) TRAFFIC SAFETY FEATURES: 1000

(113) SCOUR CONDITION RATING: 3 RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 2/15/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 09/2016 (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

7

7

7

Ν

N

7

6

9

Ν

8

Ν

N/A

1/10/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

BRIDGE ID NUMBER: 77SR1110019 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 02168 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LEWIS CHAPEL RD. COUNTY SEQUENCE: 1 CROSSING: SR111 LOG MILE: 0.90 SUFFICIENCY RATING: 99.9 LOCATION: 4 MI. FROM HAMILTON CO LN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.35178 DEGREES 85.29805 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2002 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 100.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 290.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 27 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.5 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 30.84 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 28.54 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA = (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

6

Ν

N

8

8

8

N/A

2/27/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 77021680001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 02168 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LEWIS CHAPEL RD. COUNTY SEQUENCE: 1 CROSSING: GRAY CREEK LOG MILE: 1.24 SUFFICIENCY RATING: 90.0 LOCATION: 5 MI EAST OF SR 28 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.35510 DEGREES 85.29298 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

5

7

4

N

7

8

8

N/A

2/21/2017

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

BRIDGE ID NUMBER: 77022290007 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 02229 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: THURMAN CREEK LOG MILE: 0.44 SUFFICIENCY RATING: 81.8 LOCATION: NEAR BRYANT COMMUNITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.30955 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.44108 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 29.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

6

6

6

N

5

6

2

N

7

7

U

0111

86 FT

2017

24

Ν

Ν

N/A

N/A

\$269,000,00

\$27,000.00

\$404,000.00

2/21/2017

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77022290001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 02229 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: WOODCOCK CREEK LOG MILE: 1.43 LOCATION: .1 MI WEST OF SR 27 SUFFICIENCY RATING: 72.0 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.32225 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.43390 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING UNKNOWN C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE = WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 86.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 23.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (96)(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: NOT APPLICABLE (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

Ν

5

8

8

N/A

2/21/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77022290003 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 02229 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: STONE CREEK LOG MILE: 2.51 LOCATION: .5 MI WEST OF SR 28 SUFFICIENCY RATING: 88.5 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.33662 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42662 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** UNKNOWN C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 35.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS 31.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



COUNTY SEQUENCE: 1

BRIDGE ID NUMBER: 77022290005 COUNTY: SEQUATCHIE
BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 02229
FIPS CODE: 00000 SPECIAL CASE: 0

ROAD NAME: W. VALLEY RD.

CROSSING: JOHNSON MILL CREEK

LOCATION: .2 MI WEST OF SR 28

SUFFICIENCY RATING: 98.6

- IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.34735 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.41327 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1939 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2000 (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N01 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/21/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):



YES

Ν

Ν

Ν

7

7

7

5

Ν

7

7

8

N/A

2/27/2017

24

N/A

N/A

Ν

Ν

0N01

HS-20-44

BRIDGE ID NUMBER: 770A0020001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A002 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WOODS RD. COUNTY SEQUENCE: 1 CROSSING: LONG BRANCH LOG MILE: 0.63 SUFFICIENCY RATING: 98.0 LOCATION: NEAR SR-399 & SR-8 JCT. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.50202 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.45372 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2010 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.6 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.4 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 770A0050001



COUNTY: SEQUATCHIE

YES

7

7

7

4

N

6

4

N

7

7

3

0000

182.1 FT

\$833,000.00

\$84,000.00

2/6/2017

2017

24

N/A

N/A

Ν

Ν

\$1,250,000.00

H-15-44

BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A005 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: OLD YORK HWY. N. COUNTY SEQUENCE: 1 CROSSING: BIG BRUSH CREEK LOG MILE: 1.26 LOCATION: IN CITY OF DUNLAP SUFFICIENCY RATING: 71.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.40437 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 85.38845 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1967 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 45.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 182.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

6

7

7

5

N

7

6

8

N/A

2/15/2017

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

BRIDGE ID NUMBER: 770A0690001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A069 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: OLD SR-8 COUNTY SEQUENCE: 1 CROSSING: LITTLE BRUSH CREEK LOG MILE: 0.13 LOCATION: IN CITY OF DUNLAP SUFFICIENCY RATING: 94.4 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.40437 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 85.38840 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 58.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 31.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

6

7

7

N

6

5

N

7

6

8

N/A

2/8/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 770A0700001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A070 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD UNION RD. COUNTY SEQUENCE: 1 CROSSING: BIG BRUSH CREEK LOG MILE: 0.84 SUFFICIENCY RATING: 87.1 LOCATION: .8 MI NORTH OF SR 8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.41403 DEGREES 85.38102 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 44.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 129.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 770A0980001 COUNTY: SEQUATCHIE
BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A098
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: OLD MILL RD. COUNTY SEQUENCE: 1
CROSSING: MCWILLIAMS CREEK LOG MILE: 0.52

LOCATION: 1.5 MI EAST OF US 127	SUFFICIENCY RATING: 97.0
IDENTIFICATION	
(16a,b) LATITUDE: N 35.40018 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 85.33932 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: N/A	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 3	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 7
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1989 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.1 FT (49) TOTAL BRIDGE LENGTH: 47.9 FT	(71) WATERWAY ADEQUACY: 7
(49) TOTAL BRIDGE LENGTH: 47.9 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0N00
(51) BRIDGE CURB TO CURB WIDTH: 22 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 25.6 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 2/1/2017
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
	(02a) CDECIAL INCD EDECLIENCY (MONTHS).

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

5

7

7

4

N

7

8

8

N/A

2/13/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 770A1850001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A185 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEW HOPE LOOP COUNTY SEQUENCE: 1 CROSSING: GRAYSON MILL CREEK LOG MILE: 0.00 SUFFICIENCY RATING: 86.9 LOCATION: 2 MI EAST OF SR 28 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.25552 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.44113 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 770A1850001



COUNTY: SEQUATCHIE

BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A185 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONDRA SWITCH RD. COUNTY SEQUENCE: 1 CROSSING: GRAYSON MILL CREEK LOG MILE: 0.00 SUFFICIENCY RATING: 86.9 LOCATION: 2 MI EAST OF SR 28 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.25552 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.44113 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/13/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

Ν

Ν

Ν

6

7

7

4

N

7

7

8

N/A

2/16/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 770A1850003 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A185 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEW HOPE LOOP COUNTY SEQUENCE: 1 CROSSING: ANDERSON MILL CREEK LOG MILE: 1.33 SUFFICIENCY RATING: 86.1 LOCATION: 2 MI EAST OF SR 28 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.26447 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42443 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

BRIDGE ID NUMBER: 770A1870001



COUNTY: SEQUATCHIE

BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A187 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUDSON CEMETERY RD. COUNTY SEQUENCE: 1 CROSSING: GRAYSON MILL CREEK LOG MILE: 0.01 LOCATION: HUDSON CEMETERY RD. SUFFICIENCY RATING: 58.6 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.24953 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.43200 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 WOOD OR TIMBER A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2009 (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **WEIGHT POSTED WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: 4 (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 12.1 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 12.1 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 30.8 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$113.000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$12,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$170,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 11.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/8/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



YES

7

7

7

7

N

7

5

N

7

8

3

N/A

2/15/2017

06/2017

24

Y60

1

Ν

0101

H-20-44

BRIDGE ID NUMBER: 770A1890001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A189 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FRANK TATE RD. COUNTY SEQUENCE: 1 CROSSING: SEQUATCHIE RIVER LOG MILE: 0.07 SUFFICIENCY RATING: 97.8 LOCATION: 1 MI EAST OF SR 28 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.27443 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: 85.43010 DEGREES (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1973 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2016 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 75.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 229.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

4

N

7

6

8

N/A

2/16/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 770A2180001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUDLOW LOOP COUNTY SEQUENCE: 1 CROSSING: STONE CREEK LOG MILE: 0.77 SUFFICIENCY RATING: 87.7 LOCATION: 2 MI SOUTH OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.31897 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42292 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 16.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 34.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

Ν

Ν

Ν

5

6

5

N

7

7

8

N/A

2/8/2017

24

N/A

N/A

Ν

Ν

0N01

HS-20-44

BRIDGE ID NUMBER: 770A2500001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A250 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: MAIN ST. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 0.72 SUFFICIENCY RATING: 90.3 LOCATION: IN CITY OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.36947 DEGREES 85.38790 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 56.4 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS 33.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

5

5

6

Ν

N

4

6

8

N/A

2/8/2017

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 770A2750001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A275 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: CHERRY ST. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 0.54 LOCATION: IN CITY OF DUNLAP SUFFICIENCY RATING: 89.8 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.37465 DEGREES 85.39938 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 6 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **GRAVEL** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 5.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 45.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PUBLIC RECORDS REQUEST

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

7

5

7

Ν

Ν

6

8

8

N/A

2/8/2017

24

N/A

N/A

Ν

Ν

0000

BRIDGE ID NUMBER: 770A2900001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A290 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: ELM ST. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 0.86 LOCATION: IN CITY OF DUNLAP SUFFICIENCY RATING: 96.7 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.36873 DEGREES 85.39930 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 770A2990001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A299 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: BUDDY SKYLES RD. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 0.06 LOCATION: IN CITY OF DUNLAP SUFFICIENCY RATING: 72.5 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.36910 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 85.40007 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** UNKNOWN C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 8.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 22.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 40 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$102.000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$11,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$154,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2018 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 2/14/2017 NOT APPLICABLE 24 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 770A3080001



COUNTY: SEQUATCHIE

YES

Ν

Ν

Ν

7

7

5

7

6

N

7

8

8

N/A

2/14/2017

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A308 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: MOUNTAIN VIEW RD. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 0.35 SUFFICIENCY RATING: 94.3 LOCATION: IN CITY OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.37948 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.40172 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 22.6 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.3 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



YES

Ν

Ν

Ν

5

7

7

6

N

7

6

8

N/A

2/14/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 770A3090001 COUNTY: SEQUATCHIE BRIDGE OWNER: CITY OF DUNLAP ROUTE: 0A309 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: BRIDGE ST. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 0.05 SUFFICIENCY RATING: 92.4 LOCATION: IN CITY OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.37632 DEGREES (17a,b) LONGITUDE: 85.39910 DEGREES (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 33.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

7

5

N

7

6

8

N/A

2/13/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 770A3110001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A311 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OWL HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: SAVAGE CREEK LOG MILE: 0.87 SUFFICIENCY RATING: 91.7 LOCATION: .90 MI FROM SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.42593 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.52770 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** UNKNOWN C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 59.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 11.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

7

N

7

6

Ν

7

6

8

N/A

2/1/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

COUNTY: SEQUATCHIE BRIDGE ID NUMBER: 770A4970001 BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A497 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLEAR BROOKS DR. COUNTY SEQUENCE: 1 CROSSING: STANDIFER CREEK LOG MILE: 0.51 SUFFICIENCY RATING: 92.8 LOCATION: BROWNS CHAPEL AREA - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.21502 DEGREES (17a,b) LONGITUDE: 85.38015 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 62.7 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 66.6 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A

0 FT

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

5

N

7

6

Ν

7

6

8

N/A

2/1/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

COUNTY: SEQUATCHIE BRIDGE ID NUMBER: 770A4970003 BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A497 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLEAR BROOKS DR. COUNTY SEQUENCE: 1 CROSSING: BRIMER CREEK LOG MILE: 2.20 SUFFICIENCY RATING: 92.5 LOCATION: BROWNS CHAPEL AREA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.22973 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36920 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2001 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 72.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 75.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

0 FT

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

7

7

7

4

N

7

8

8

N/A

2/13/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 770A5970001 COUNTY: SEQUATCHIE BRIDGE OWNER: SEQUATCHIE COUNTY ROUTE: 0A597 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JACK SMITH RD. COUNTY SEQUENCE: 1 CROSSING: MCWILLIAMS CREEK LOG MILE: 0.32 SUFFICIENCY RATING: 80.7 LOCATION: NEAR BLEDSOE CO LINE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.41827 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.32040 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE **DESIGN LOAD AND WEIGHT POSTING** UNKNOWN C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 34.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



YES

6

6

7

Ν

N

6

6

9

Ν

8

Ν

N/A

1/12/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

BRIDGE ID NUMBER: 77SR1110011 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0D546 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COKE BOWMAN RD. COUNTY SEQUENCE: 1 CROSSING: SR 111 LOG MILE: 1.08 SUFFICIENCY RATING: 91.1 LOCATION: AT HAMILTON COUNTY LINE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.34497 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.23255 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 5 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 126.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 243.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 12 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.77 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 38.06 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: 23.95 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 77SR0080001 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR008 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAFT HWY. COUNTY SEQUENCE: 1 CROSSING: KEEL BRANCH LOG MILE: 11.55 LOCATION: 1.2 MI.S.OF DUNLAP SUFFICIENCY RATING: 81.3 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.33235 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.38562 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: H-15-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1942 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1974 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/18/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PUBLICATION DATE 27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

6

5

5

9

Ν

5

5

Ν

8

7

3

1000

341.9 FT

2017

24

N/A

N/A

Ν

Ν

1/9/2017

\$1,616,000.00

\$2,425,000.00

\$162,000.00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77\$R0080003 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR008 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAFT HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW OF SEQUATCHIE R LOG MILE: 12.60 SUFFICIENCY RATING: 70.6 LOCATION: .2 MI.S.OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.33068 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.39023 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 12 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: **CONCRETE CAST-IN-PLACE** (107) TYPE OF DECK: (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1995 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 341.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 77\$R0080005



COUNTY: SEQUATCHIE

YES

5

6

5

6

Ν

5

5

N

8

8

3

1000

290 FT

2017

24

Y60

N/A

Ν

1/9/2017

06/2017

\$1,566,000.00

\$2,350,000.00

\$157,000.00

H-20-44

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR008 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAFT HWY. COUNTY SEQUENCE: 1 CROSSING: SEQUATCHIE RIVER LOG MILE: 12.73 SUFFICIENCY RATING: 57.6 LOCATION: .3 MI.S.OF DUNLAP IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.33162 DEGREES 85.39173 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: CONCRETE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 3 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1995 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 80.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 290.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409



BRIDGE ID NUMBER: 77\$R0080007 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR008 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: RANKIN AVE. COUNTY SEQUENCE: 1 CROSSING: COOPS CREEK LOG MILE: 15.33 LOCATION: IN DUNLAP SUFFICIENCY RATING: 62.3 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.36717 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.39257 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: H-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 86.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.5 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 86 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$264.000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (95)\$27,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$397,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/24/2017 24 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

BRIDGE ID NUMBER: 77\$R0080009



COUNTY: SEQUATCHIE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR008 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ASHWOOD AVE. COUNTY SEQUENCE: 1 CROSSING: LITTLE BRUSH CREEK LOG MILE: 18.62 LOCATION: IN DUNLAP CITY LIMITS SUFFICIENCY RATING: 66.3 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.40350 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.38967 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2004 (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 56.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 58.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 56.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$508,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$51,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$763,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 59.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/24/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

6

N

5

7

7

Ν

7

8

3

N/A

1/4/2017

24

N/A

N/A

Ν

Ν

0000

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR0280015 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 28 COUNTY SEQUENCE: 1 CROSSING: HICKS CREEK LOG MILE: 0.91 LOCATION: 6 MI.SW.OF DUNLAP SUFFICIENCY RATING: 93.0 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.27902 DEGREES 85.45600 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **ASPHALT** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 1973 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 120.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

6

7

5

7

Ν

Ν

7

8

8

N/A

1/5/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44 +MOD

NHS ROUTE

BRIDGE ID NUMBER: 77SR0280001 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 28 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.07 LOCATION: 1.1 MI N OF MARION CO LN SUFFICIENCY RATING: 96.8 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.28120 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.45343 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING **NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1974 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 49.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.2 FT

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 77\$R0280017 COUNTY: SEQUATCHIE
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R028
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: HWY. 28 COUNTY SEQUENCE: 1
CROSSING: WOODCOCK CREEK LOG MILE: 4.08
LOCATION: 2.84 MI.SW.OF DUNLAP SUFFICIENCY RATING: 97.1

(16a,b) LATITUDE: N 35.31987 DEGREES (17a,b) LONGITUDE: W 85.42917 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: N/A (99) BORDER BRIDGE NUMBER: NOT APPLICABLE (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE (104) NATIONAL CLASS: RURAL EXPRESSWAY (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: NOT APPLICABLE (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER: NOT APPLICABLE BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICABLE (103) TEMPORARY BRIDGE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: NOT APPLICABLE (103) TEMPORARY BRIDGE: NOT APPLICABLE (1043) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (103) TEMPORARY BRIDGE: NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE ————————————————————————————————————
(45) NUMBER OF MAIN SPANS.
(40) NOWIDER OF ALL ROADT OF ANO.
(co) CURCIDIOTURE.
(100) THE OF WEAKING SORI ACE AND DEGREE ROTECTION.
AST THE OF CONDITION (IF A DDLICADLE).
OHIMOWIA
(24) DESIGN LOADING.
AGE AND SERVICE ————————————————————————————————————
(27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE
(42a) SERVICE ON BRIDGE: HIGHWAY (41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: WATERWAY APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE:
(200) NOWIDER OF EARLS GROBER THE BRIDGE.
GEOMETRIC DATA (68) DECR GEOMETRY:
(48) MAXIMUM SPAN LENGTH: 58.1 FT (71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 174.9 FT (72) APPROACH ROADWAY ALIGNMENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 44 FT PECOMMENDED IMPROVEMENTS
(32) BRIDGE OUT TO OUT WIDTH. 47.9 FT
(32) AFFROAGITROADWAT (W/ STILDS) WIDTH. 43.9 FT (72) LENGTH OF PRIPOS IMPROVEMENT.
(04) PRIDGE IMPROVEMENT COCT.
(05) DOADWAY IMPROVEMENT COCT.
NO FLARE
(320) WIN VENTIONE GLEANANGE OVER RD. NO RESTRICTION (07) VEND OF IMPROVEMENT COOR FOR IMATE.
THE PROPERTY OF THE PROPERTY O
(* *)
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (90) DATE OF LAST REGULAR INSPECTION: 1/5/2017 (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (91) REGULAR INSPECTION FREQUENCY (MONTHS): 2 4
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N
NAVIGATION DATA (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE

27-Jul-18

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409



YES

Ν

Ν

Ν

7

6

Ν

Ν

7

8

8

N/A

1/12/2017

24

N/A

N/A

Ν

Ν

1N11

H-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77\$R0280025 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 28 COUNTY SEQUENCE: 1 CROSSING: STONE CREEK LOG MILE: 4.78 SUFFICIENCY RATING: 94.5 LOCATION: 5 MI.E.OF MARION CO.LINE - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.32845 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42223 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 46.9 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 49.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 45 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 77\$R0280023 COUNTY: SEQUATCHIE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028
FIPS CODE: 22000 SPECIAL CASE: 0

ROAD NAME: US-127 COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 7.70
LOCATION: 0.24 MI N OF SR111 JCT. SUFFICIENCY RATING: 84.1

- IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.39832 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.37282 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2000 (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 1N10 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 72.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 72.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/18/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

Ν

Ν

N/A

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



YES

6

7

7

6

N

7

2

N

8

8

5

0001

79.4 FT

2017

N/A

N/A

Ν

Ν

\$314.000.00

\$32,000.00

\$472,000.00

1/18/2017 24

H-20-44

NHS ROUTE

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77\$R0280005 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: US-127 COUNTY SEQUENCE: 1 CROSSING: LITTLE BRUSH CREEK LOG MILE: 8.14 LOCATION: 0.7 MI. N OF SR111 JCT. SUFFICIENCY RATING: 58.7 - IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.40413 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36953 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1937 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 26.6 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 79.4 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 77\$R0280007 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 SPECIAL CASE: 0 FIPS CODE: 22000 ROAD NAME: US-127 COUNTY SEQUENCE: 1 CROSSING: BIG BRUSH CREEK LOG MILE: 8.31 LOCATION: 0.84 MI. N OF SR111 JCT. SUFFICIENCY RATING: 56.9 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 35.40500 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36833 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 11 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN NONE C) TYPE PROTECTION: (31) DESIGN LOADING

0.0 FT

0.0 FT

24 FT

	AGE AND SERVICE —
1940	(27) YEAR THE BRIDGE WAS BUILT:
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
WATERWAY	(42b) UNDER BRIDGE:
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
43.0 FT	(48) MAXIMUM SPAN LENGTH:
324.1 FT	(49) TOTAL BRIDGE LENGTH:

27.2 FT	(52) BRIDGE OUT TO OUT WIDTH:
TH: 29.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDT
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
NO RESTRICTION	(520) MIN VERTICAL CLEARANCE OVER RD:
OWAY: 24.0 FT	(47) MIN HORIZONTAL CLEARANCE ON ROAI
HWAY OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIG
NOT APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE:
HWAY OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIG
NOT APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT:
NOT APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT:

	MAVIGAT	TION DATA ————
38)	NAV CONTROL:	NO NAVIGATION CONTROL

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

NHS ROUTE RURAL EXPRESSWAY NO PARALLEL BRIDGE 2-WAY TRAFFIC

NOT APPLICABLE

ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS

NOT BEEN DETERMINED

(58) DECK:	6
(59) SUPERSTRUCTURE:	7
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6

DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHIC	CLES): ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE A	XXLES): ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OF	PEN

APPRAISAL

6	(67) STRUCTURAL EVALUATION:
2	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
5	(113) SCOUR CONDITION RATING:

RECOMMENDED IMPROVEMENTS

BRIDGE WIDENING (NO DECK REPAIRS (75) TYPE OF WORK: **NEEDED)**

(76) LENGTH OF BRIDGE IMPROVEMENT: 324.1 FT (94) BRIDGE IMPROVEMENT COST: \$1,179,000.00 (95) ROADWAY IMPROVEMENT COST: \$118,000.00 TOTAL PROJECT COST: \$1,769,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/25/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(50a) LEFT SIDEWALK WIDTH:

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:



7

7

7

7

6

2

N

7

8

5

BRIDGE ID NUMBER: 77\$R0280009 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-127 COUNTY SEQUENCE: 1 CROSSING: STILLHOUSE BRANCH LOG MILE: 8.47 LOCATION: 1 MI. N OF SR111 JCT. SUFFICIENCY RATING: 55.8 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.40847 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36723 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): N B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: H-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 57.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 57.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$241.000.00 (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: \$362,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/25/2017 24 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO

N/A

N/A

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

Ν

Ν

Ν

7

7

6

2

N

5

8

8

0001

24 FT

2017

N/A

N/A

Ν

Ν

\$115.000.00

\$12,000.00

\$173,000.00

1/25/2017 24

H-20-44

NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 77SR0280011 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-127 COUNTY SEQUENCE: 1 CROSSING: ROGERS BRANCH LOG MILE: 8.74 LOCATION: 1.3 MI. N OF SR111 JCT. SUFFICIENCY RATING: 52.5 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.41218 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36523 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN **DESIGN LOAD AND WEIGHT POSTING** NONE C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.9 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (95)(35) BRIDGE FLARE: **NO FLARE** TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT

NOT A HIGHWAY OR RAILROAD

NOT A HIGHWAY OR RAILROAD

NO NAVIGATION CONTROL

NOT APPLICABLE

NOT APPLICABLE

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

8

8

0000

NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

NATIONAL BRIDGE INVENTORY TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 77SR0280013 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR028 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-127 COUNTY SEQUENCE: 1 CROSSING: MINTON BRANCH LOG MILE: 10.21 LOCATION: 0.94 MI.S.OF BLEDSOE CO. SUFFICIENCY RATING: 52.5 - IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 35.43090 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.35298 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE (45) NUMBER OF MAIN SPANS: 3 (46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: UNKNOWN

0.0 FT

24 FT

27.6 FT

C) TYPE PROTECTION:	NONE
AGE AND SERVICE	
(27) YEAR THE BRIDGE WAS BUILT:	1940
(106) YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0
GEOMETRIC DATA	
(48) MAXIMUM SPAN LENGTH:	9.8 FT
(49) TOTAL BRIDGE LENGTH:	41.0 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	29.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	35 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	NO RESTRICTION
(47) MIN HORIZONTAL CLEARANCE ON ROADW	AY: 24.0 FT
(54a) VERT UNDERCLR: NOT A HIGHW	AY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:	NOT APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHW	AY OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT:	NOT APPLICABLE
(56) MIN HORZ UNDERCLR ON LEFT:	NOT APPLICABLE
NAVIGATION DATA	

	NAVIGATION DATA	
(38) NAV CONTROL: NO NAVIGATION CONTROL		
(39)	NAVIGATION VERTICAL CLEARA	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	: N/A
(40)	NAVIGATION HORZ CLEARANCE	:: N/A

NOT BEEN DET	ERMINED
CONDITION RATINGS	s ———
(58) DECK:	N
(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROT	TECTION: 5
(62) CULVERT CONDITION (IF APPLICABLE):	7
DESIGN LOAD AND WEIGHT	POSTING ———
(31) DESIGN LOADING:	H-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL	
(67) STRUCTURAL EVALUATION:	6
(68) DECK GEOMETRY:	2
(69) UNDERCLEARANCE RATING:	N

RECOMMENDED IMPROVEMENTS

BRIDGE WIDENING (NO DECK REPAIRS (75) TYPE OF WORK: NEEDED)

(71) WATERWAY ADEQUACY:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT: 41 FT (94) BRIDGE IMPROVEMENT COST: \$173,000,00 (95) ROADWAY IMPROVEMENT COST: \$18,000.00 (96) TOTAL PROJECT COST: \$260,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 1/18/2017 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(50b) RIGHT SIDEWALK WIDTH:

(51) BRIDGE CURB TO CURB WIDTH:

(52) BRIDGE OUT TO OUT WIDTH:



YES

Ν

Ν

Ν

5

6

Ν

N

8

8

8

N/A

1/10/2017

24

N/A

N/A

Ν

Ν

0N01

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110013 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: SODDY CREEK LOG MILE: 1.19 LOCATION: 1 MI W OF HAMILTON CO LN SUFFICIENCY RATING: 82.3 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: 35.34457 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.25273 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 44.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 47.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

Ν

5

7

8

6

Ν

8

Ν

N/A

1/18/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110009 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: NFA A119 OLD HENSON RD LOG MILE: 2.81 SUFFICIENCY RATING: 99.5 LOCATION: 2.8 MI W OF HAMILTON CL - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.35007 DEGREES Ν 85.28060 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 80.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 166.7 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 44 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 14.76 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 16.73 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

6

7

7

Ν

Ν

5

7

9

9

Ν

8

Ν

N/A

1/18/2017

24

N/A

N/A

Ν

Ν

1001

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110010 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: NFA A119 OLD HENSON RD LOG MILE: 2.81 SUFFICIENCY RATING: 98.5 LOCATION: 2.8 MI W OF HAMILTON CL - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: 35.34967 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν 85.28008 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 80.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 166.7 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: NO MEDIAN (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 44 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 54.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.5 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 16.4 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

> PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A



YES

Ν

Ν

Ν

6

6

Ν

Ν

5

8

8

N/A

1/10/2017

24

N/A

N/A

Ν

Ν

1N11

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110015 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: GREY CREEK LOG MILE: 3.51 LOCATION: 3.4 MI W OF HAMILTON CL SUFFICIENCY RATING: 82.3 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.35045 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.29437 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 54.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 53.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

7

Ν

N

5

7

9

9

Ν

8

Ν

N/A

1/12/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

NHS ROUTE

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77SR1110017 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: NFA 1153 E VALLEY RD LOG MILE: 7.59 SUFFICIENCY RATING: 81.3 LOCATION: 7.5 MI W OF HAMILTON CL - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.38903 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.33260 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 80.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 158.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 91.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 96.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 91.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **CLOSED MEDIAN - WITH BARRIER** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 22 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.57 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 24.28 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

6

7

8

N

6

9

N

8

8

8

N/A

1/24/2017

24

N/A

N/A

Ν

Ν

1001

HS-20-44

NHS ROUTE

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77SR1110001 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: SEQUATCHIE RIVER LOG MILE: 8.86 SUFFICIENCY RATING: 98.6 LOCATION: 1 MI EAST OF DUNLAP IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39347 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.35335 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 105.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 310.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 16 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

7

8

N

5

7

8

Ν

8

8

8

N/A

1/24/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110002 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: SEQUATCHIE RIVER LOG MILE: 8.86 SUFFICIENCY RATING: 99.6 LOCATION: 1 MI EAST OF DUNLAP IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39315 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.35467 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 104.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 308.1 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL:

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

5

7

9

7

Ν

8

Ν

N/A

1/18/2017

24

N/A

N/A

Ν

Ν

1001

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110003 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: NFA A095 (DAVIS RD) LOG MILE: 9.17 SUFFICIENCY RATING: 98.6 LOCATION: 1 MI EAST OF DUNLAP IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39328 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.35872 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 68.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 149.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 24 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.34 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 15.42 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

Ν

N

5

7

9

9

Ν

8

Ν

N/A

1/24/2017

24

N/A

N/A

Ν

Ν

1101

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110004 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: NFA A095 (DAVIS RD) LOG MILE: 9.17 SUFFICIENCY RATING: 99.6 LOCATION: 1 MI EAST OF DUNLAP IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39282 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.35885 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2003 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 68.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 149.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 24 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: NO RESTRICTION (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.5 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 15.75 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



BRIDGE ID NUMBER: 77SR1110005 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: OVERFLOW-BIG BRUSH CREEK LOG MILE: 9.44 SUFFICIENCY RATING: 67.3 LOCATION: 1 MI EAST OF DUNLAP IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.39250 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36362 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2003 (70) BRIDGE POSTING CODE: 5 (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA (69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: 0N01 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 87.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 39 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: \$395,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$40,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$593,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2017 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/24/2017 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Ν (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Ν

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

7

7

7

6

N

5

7

9

N

7

8

8

N/A

1/4/2017

24

N/A

N/A

Ν

Ν

1000

HS-20-44

NHS ROUTE

1-WAY TRAFFIC

BRIDGE ID NUMBER: 77SR1110007 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: BIG BRUSH CREEK LOG MILE: 9.53 SUFFICIENCY RATING: 97.6 LOCATION: 1 MI EAST OF DUNLAP IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39293 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.36512 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 44.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 132.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 49.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 7 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

6

6

7

7

N

6

8

N

8

8

8

N/A

1/4/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77SR1110008 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: BIG BRUSH CREEK LOG MILE: 9.53 LOCATION: 1 MI EAST OF DUNLAP SUFFICIENCY RATING: 99.6 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39258 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36533 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2003 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 129.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 132.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 7 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA

NO NAVIGATION CONTROL

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



YES

7

7

7

Ν

N

5

7

4

7

Ν

8

Ν

N/A

1/24/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

NHS ROUTE

BRIDGE ID NUMBER: 77\$R0280027 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: SR-111 NB / SR-28 LOG MILE: 10.05 SUFFICIENCY RATING: 97.6 LOCATION: SR-111NB / SR-28 JCT. IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39558 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.37375 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE = **ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): 2000 (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN HIGHWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 128.9 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 216.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 49.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 51.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 50.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: 21.33 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

NATIONAL BRIDGE INVENTORY



YES

7

7

7

Ν

N

5

7

4

6

Ν

8

Ν

N/A

1/24/2017

24

N/A

N/A

Ν

Ν

1111

HS-20-44

ALL LEGAL LOADS

ALL LEGAL LOADS

NHS ROUTE

2-WAY TRAFFIC

NOT APPLICABLE

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 77SR0280028 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 22000 SPECIAL CASE: 0 ROAD NAME: SR-111 COUNTY SEQUENCE: 1 CROSSING: SR-111 SB / SR-28 LOG MILE: 10.05 LOCATION: SR-111 SB / SR-28 JCT. SUFFICIENCY RATING: 97.6 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.39463 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.37397 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE BRIDGE IS NOT ELIGIBLE FOR THE (37) HISTORICAL CLASS: **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **MONOLITHIC CONCRETE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING **EPOXY COATED REINFORCING** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): NI/A (40C) VEAD THE DDIDGE WAS DELIABLED. (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN APPRAISAL (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:

N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:
HIGHWAY	(42a) SERVICE ON BRIDGE:
HIGHWAY	(42b) UNDER BRIDGE:
3	(28a) NUMBER OF LANES CARRIED BY BRIDGE:
6	(28b) NUMBER OF LANES UNDER THE BRIDGE:
	GEOMETRIC DATA
128.9 FT	(48) MAXIMUM SPAN LENGTH:
216.9 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
49.9 FT	(51) BRIDGE CURB TO CURB WIDTH:
51.8 FT	(52) BRIDGE OUT TO OUT WIDTH:
47.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 50.0 FT (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.4 FT (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (55b) MIN HORZ UNDERCLR ON RIGHT: 20.01 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE**

NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE**

(39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(69) UNDERCLEARANCE RATING:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

TOTAL PROJECT COST:

(72) APPROACH ROADWAY ALIGNMENT:

(76) LENGTH OF BRIDGE IMPROVEMENT:

BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(90) DATE OF LAST REGULAR INSPECTION:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

RECOMMENDED IMPROVEMENTS

INSPECTION DATES

NOT APPLICABLE

(71) WATERWAY ADEQUACY:

(75) TYPE OF WORK:

(94)



YES

Ν

Ν

Ν

7

7

6

5

N

6

8

8

N/A

1/5/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

BRIDGE ID NUMBER: 77005390001 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR283 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EAST VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: ANDERSON MILL CREEK LOG MILE: 0.46 SUFFICIENCY RATING: 87.0 LOCATION: 2 IMI. EAST OF SR 28 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.25977 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.43495 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: **NOT APPLICABLE** A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 0.0 FT (50a) LEFT SIDEWALK WIDTH: (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.2 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:



YES

Ν

Ν

Ν

5

6

Ν

N

9

8

8

N/A

1/24/2017

24

N/A

N/A

Ν

Ν

0N00

HS-20-44

2-WAY TRAFFIC

BRIDGE ID NUMBER: 77\$43500003 COUNTY: SEQUATCHIE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR399 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ARTILLERY RD. COUNTY SEQUENCE: 1 CROSSING: SAVAGE CREEK LOG MILE: 0.12 LOCATION: 4 MI.N.OF PALMER SUFFICIENCY RATING: 97.6 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.43127 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.53862 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: N/A (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS HISTORICAL SIGNIFICANCE HAS (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: NOT APPLICABLE (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: NOT APPLICABLE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE DESIGN LOAD AND WEIGHT POSTING NOT APPLICABLE** C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE -**ALL LEGAL LOADS** WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: **OPEN WATERWAY** (42b) UNDER BRIDGE: APPRAISAL (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 64.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **NO MEDIAN** (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: **NO RESTRICTION** (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS):

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE: